

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

ASB741
F6N4

NEWSLETTER

January 1980



ILDSOT

FIRE BLIGHT

FEUERBRAND

BACTERIEVUUR

FEU BACTERIEN

INTERNATIONAL WORKING GROUP

ON FIRE BLIGHT RESEARCH

INTERNATIONAL WORKING GROUP ON FIRE BLIGHT RESEARCH

NEWSLETTER

Plant Protection Commission

International Society for Horticultural Science

in cooperation with

U.S. Apple and Pear Disease Workers

and

European & Mediterranean Plant Protection Organization

JANUARY 1980

UNITED STATES DEPARTMENT OF AGRICULTURE
Science & Education Administration

Appalachian Fruit Research Station
Kearneysville, West Virginia, USA


Letter from the Editor

✓
This second fire blight newsletter was prepared and mailed from our new USDA Appalachian Fruit Research Station in Kearneysville, West Virginia, located in the center of the fruit industry of the Shenandoah Valley. With the addition of Dr. Richard Bell, geneticist, and a technician in the pathology laboratory, the pear breeding and fire blight research programs will be expanded in future years.

Following the return of this years questionnaires, the total number of persons interested in fire blight has increased to 195. I was sad to hear that Dr. Hockenhull had dropped from the list because of new commitments at his university. But at the same time I am happy to report that Dr. Paulin at Angers has taken over the job as Secretary for the European Section of the Working Group. At this moment, we have representatives of 32 countries in our working group, even though 23 of these countries do not have fire blight. I believe this is truly indicative of the potential threat of this bacterial disease world wide and the interest many countries have to keep it away from their borders. If any country, at anytime, wants to appoint new or additional contact persons, a blank page is provided in the back of this newsletter to do so.

In order to make the complete card and reprint collection of all the world wide fire blight literature as available as possible to all concerned, I prepared for this newsletter a listing of all the headings and numbering system, including the last citation in the handbook and the last entry in the additional bibliography (updated through December 1978). This will facilitate the annual updating of new literature in the newsletters, using the same numbering system. Naturally, I cannot guarantee that there was no more new literature than those listed in this newsletter. Therefore, I want to emphasize again and urge all to keep abreast of new publications and to send them to me from time to time. This is the only way to keep the literature collection complete and to be able to share the knowledge on fire blight with each other.

I am looking forward to seeing as many of you as possible in September at the upcoming Fire Blight Workshop in Kiel, West Germany.



Tom van der Zwet, Secretary
North American Section
International Working Group on Fire Blight Research

PRESENT STATUS AND NEW OCCURRENCES OF FIRE BLIGHT

COLORADO

Very little blight in Western Colorado in 1979. Low winter temperatures during 1978 - 1979 seemed to have reduced overwintering inoculum. Cankers from 1978 were not active in spring 1979.

N. S. Luepschen
Grand Junction

DELAWARE

Disease presence appeared somewhat less in New Castle County in 1979 as opposed to 1977 and 1978. This despite nearly 20% greater than average rainfall and a cool spring.

S. H. Davidson
Wilmington

GEORGIA

Winter was a little colder than average and spring was late. Pears bloomed in early March and apples in late March. Spring and early summer rains were normal to slight excess. Summer temperature means about normal (80° F). Highest temperatures were 90° on July 5 and 98° on August 21. Summer rainfall was about normal. October was the only "dry" month. We had almost no fire blight in 1979 in pears. We had scattered fire blight in Irradiated 'Mollies Delicious' apple. This probably reflected the high fertilization levels in the irradiated block where we attempted to force rapid growth of potential mutant species.

J. M. Thompson
Byron

ILLINOIS

Fire blight was slight. It was present, but not of economic significance in Illinois.

S. M. Ries
Urbana

PENNSYLVANIA

Fire blight incidence was above normal in southcentral Pennsylvania but did not cause extensive damage. Incidence on young trees was observed in two new plantings. Several trees were killed.

K. D. Hickey
Biglerville

ONTARIO

Fire blight outbreaks occurred in mid to late June, although monitoring indicated that the pathogen was present in orchards in late May. Infections were light to moderate depending on orchard location and local weather conditions. Streptomycin sprays in a pear orchard provided good control of fire blight as the orchard was exposed to inoculum from adjacent infected apple trees. Compared to 1978, 1979 has not been too serious.

W. G. Bonn
Harrow

FRANCE

In summer 1979, a general survey for fire blight has been done in each pear growing area in France by Plant Protection Service:

1. No contaminated area has been discovered outside the South-West or Northern area of France.
2. South West (see map)
 - a. no extension in the Dax area.
 - b. slight extension in the Damazan area (Garonne Valley): four new orchards within 10 km from last year's outbreaks in pear orchards (Passe Grassane, Conference, Doyenne du Comice, Beurre Hardy), and apple orchards (Reine des Reinettes, Reinettes grises du Canada, Calville, Golden Delicious...)

This is the first record of fire blight on apple in France. One record on hawthorn, no record in nurseries (fruits or ornamentals).

- c. new outbreaks: one pear orchard in Le Freche (see map) which is about halfway from DAX to DAMAZAN.
Two pear orchards near Loupiac (see map) (\approx 40 km South East Bordeaux).

3. North

Fire blight has been very active in hawthorn hedges, due to unusual high temperature during blossom period: the disease spread South and East. For the first time in this area fire blight has been found in orchards: pear (Doyenne du Comice, Conference) and apple (James Grieve, Idared).



FIRE BLIGHT
FOCUS

1978



NEW AREAS

1979

DUNKERQUE

CALAIS

LILLE

PARIS

ANGERS

BORDEAUX

LOUPIAC

DAMAZAN

LE FRECHE

DAX

0 100 200 km

4. Control

The total eradication of diseased orchards is not expected to be possible; destruction of diseased trees (and those at immediate neighbors) by trimming and/or fire (flame thrower) is performed as soon as detected.

J. P. Paulin
Angers

WEST GERMANY

In the Federal Republic of Germany, outbreaks of fire blight in 1978 were restricted to the known fire blight localities. In the northern federal countries Schleswig-Holstein and Niedersachsen, mainly near the Northsea coast hawthorn hedges were heavily infected. Moreover, very early in summer first blossom infections with strong exudation in apple could be detected, especially on the varieties 'Gloster' and 'Holsteiner Cox'; 'Golden Delicious' showed less symptoms. In every case, in the neighborhood infected hawthorn was observed. Weather was unusually warm at the end of May and additional thunder and lightning occurred. Compared with the last years, infections on Cotoneaster has been rare, only the high growing types of C. salicifolius and C. watereri showed low blossom infections.

After the first registered foci in Nordrhein-Westfalen in the last year, a further distribution mainly in the big cities at the Rhine River has been found. Because of favorable weather conditions, ooze production on hawthorn and Cotoneaster salicifolius and C. watereri could be detected. Generally the fire blight situation was more dangerous than in the previous year.

W. Zeller
Heikendorf

ENGLAND

There was a slight increase in incidence of disease in pear and hawthorn in south-east England. Weather was warm with adequate rain during part of the pear blossom period and primary pear blossom infection was seen in several orchards. There was further progression of disease in one pear orchard in the south-west where infection was severe in 1978.

E. Billing
East Malling

BELGIUM

Fire blight was appearing for the first time in the fruit growing area of St. Truiden. Due to the late flowering period, we observed infection during primary blossom period of pears. The development of inoculum was promoted by the warm period before and during blossoming.

W. Porreye
St. Truiden

ITALY

Notwithstanding the heavy importation of nursery products from contaminated European countries, the disease has not yet appeared in Italy.

C. Bazzi
Bologna

SPAIN

At present we have not found the first blight pathogen in Spain. We are taking measures to prevent the entry of Erwinia amylovora.

We are studying the most favorable areas for the possible establishment and spread of disease, and we constantly have information about the actual situation of fire blight in France and in other countries. We can do diagnostic tests in three laboratories and we also survey some areas to be sure that we do not have the disease.

C. Noval Alonso
Madrid

SWITZERLAND

No fire blight in Switzerland until today.

R. Grimm
Wadenswil

ROMANIA

Fire blight is not present in Romania.

V. Severin
Bucharest

GREECE

The disease has not been recorded in Greece.

Psallidas
Athens

IRELAND

Fire blight has not been recorded in Ireland.

P. F. Walsh
Dublin

SWEDEN

No fire blight has appeared in Sweden.

The plant protection service of the National Board of Agriculture makes an investigation in the southern part of Sweden every year for the disease. The investigated area is the south coast of Sweden and there is included wild Crataegus, pear trees and orchards, Cotoneaster, Pyracantha and other susceptible ornamentals. This survey starts after mid-June and goes on till September. Suspected samples are tested in the laboratory at the National Board of Agriculture.

The plant protection service recommends that nurserymen reduce their assortment of very susceptible cotoneasters.

K. Olsson
Uppsala

NORWAY

Potential host plants are more or less regularly inspected, but so far the disease has not been detected in Norway.

H. Roed
AS-NLH

ARGENTINA

We have not detected fire blight in our area or country yet. We have had a severe outbreak of blossom blight on pears caused by Pseudomonas syringae. The weather during blossom blight was rainy. Essays with Copper oxychloride and Streptomycine were not efficient.

F. C. Meyer
Rio Negro

DETAILS ON CURRENT FIRE BLIGHT RESEARCH REPORTED FROM SOME UNIVERSITIES AND EXPERIMENT STATIONS

DELAWARE

Ongoing testing program for chemical control.

S. H. Davidson
DuPont Experimental Station

GEORGIA

We are only breeding apples. Fire blight susceptibility is one of our most important selective criteria. Over the long-haul, resistance is necessary in this area.

J. M. Thompson
USDA Fruit Research Station

ILLINOIS

Studies on motility and chemotaxis of Erwinia amylovora have shown that environmental and cultural factors influence the motility by affecting either flagella synthesis or motility itself.

S. M. Ries
Univeristy of Illinois

MISSOURI

1. Study of the biochemistry and mode of action of the polysaccharide from E. amylovora isolates.
 - a. There are variations in amount which is correlated w/virulence.
 - b. There are differences in composition; which are also probably related to virulence.
 - c. Ultrastructural study of localization of E. amylovora polysaccharide and the xylem wall modifications it causes.
2. Study of bacterial migration in host tissue and localization of initial sites of colonization and pathogenesis:
 - a. population dynamics
 - b. ultrastructure

R. N. Goodman
University of Missouri

ONTARIO

1. Breeding and selecting of pears for fire blight resistance. Harrow selections continue to perform well in test plantings.

2. Rootstock/scion interactions in apple indicate that the rootstock has no effect on scion susceptibility to fire blight, at least in the case of M26, MM106 and MM111.

W. G. Bonn
CDA Research Station

WEST GERMANY

The current research at our station mainly is concerned with the following topics:

1. Testing for resistance of apple and pear varieties. After testing of 25 varieties we have planted out about 30 new cultivars this year
2. Breeding for resistance in the genus *Cotoneaster* (in cooperation with F. Persiel, (Bundesforschungsanst.fur Gartenbauliche Pflanzenzuchtung). In this aspect we have worked mainly with the low growing cultivars (*Cotoneaster dammeri*, *C. cogestus*, *C. franchetii*) and achieved some good resistance against the pathogen.
3. Control of the disease with new chemicals. A new bactericide brought a similar good effect as streptomycin by spraying artificially inoculated blossoms of the highly susceptible ornamental *Cotoneaster salicifolius floccosus*.
4. Epidemiology on ornamentals. It was followed by the population dynamics of *E. amylovora* on leaves and flowers of susceptible and resistant ornamentals in the growing season and correlated to weather conditions, phenology and course of infection. First results showed that the time of blossom in *Crataegus* is the main important factor for dissemination. The first epiphytic occurrence of *E. amylovora* on leaves were obtained 4 weeks before symptom expression (W. Brulez, Heikendorf)

At the University of Kiel, Dr. Schulz is working on the antagonistic effect of the epiphytic flora against *E. amylovora*.

Dr. Knosel in Hamburg is continuing his studies on phytological effects of antibiotics after blight infection.

W. Zeller
Biologische Bundesanstalt

FRANCE

1. Epidemiology: detection on inoculum sources (cankers, soil, buds) by immunofluorescence and plating; test of a selective medium.
2. Biological control: use of bacteria to protect plant from infection.
3. Chemical control: in vitro tests of fungicides, copper compounds, and antibiotics against *E. amylovora*.

in vivo tests in the growth chamber.

4. Test of available commercial pear varieties.
5. Breeding for resistance in pear.

J. P. Paulin & B. Thibault
INRA

BELGIUM

In collaboration with Dr. Veldeman we are examining the presence of epiphytic Erwinia amylovora on several host plants. These plants were installed at a regular distance (4 km) in the area in order to get an easier check of the presence of the bacteria. We were finding everytime the inoculum as an indication of infection in the area.

We were making trials with bactericides (not yet patented) and unknown active ingredients.

The results were promising in comparison with copper products. Copper was giving too much damage as well on the fruits as the leaves.

W. Porreye
Research Station of Gorsem

ENGLAND

The weather system developed for fire blight production warned the risk of primary blossom infection in pears in south-east England. The system appears to have application in Europe. In July a course of instruction was given to nine European workers. Studies on the biological properties of Erwinia amylovora in relation to virulence continue. Potential control measures are under investigation.

Serological studies showed that the polysaccharide produced by virulent strains of E. amylovora is serologically related to that produced by strains of E. herbicola. (B. Slade, University of Reading) This work is now completed.

Eve Billing
East Malling Research Station

SWITZERLAND

Research on fire blight is restricted to the preparations of preventing the disease to invade the country. In laboratory tests we are trying to find a fast and sure method to detect real fire blight in suspected plants; thus we should be able to take the necessary efficient and urgent measures in case of real danger.

Bacteria are isolated on different media (Nutrient Saccharose Agar, King's Medium B, Miller's Medium) in order to distinguish them from the ordinary saprophytes. The serological way will be the final method to find out whether there is fire blight or not.

In Switzerland, real investigations on fire blight are not possible because the phytosanitary conditions do not allow to work with the pathogen in our country. However, we constantly gather information about the actual situation of research done in other countries, while studying the literature or through personal contacts with our foreign colleagues whose experiences are very useful to us.

Trials with fresh leaf material extending over several years should show the formation of the epiphytic populations of the microorganisms on the leaf surfaces under the specific conditions in Switzerland.

In our laboratory in Wädenswil research is also done on bacterial blossom blight of pears (Pseudomonas syringae), the bacterial canker of sweet cherries and plums (Pseudomonas morsprunorum), the bacterial disease of pelargonium (Xanthomonas pelargonii) and other bacterioses.

R. Grimm
Federal Research Station for
Arboriculture

ITALY

The current research at our Insititue is concerned with these topics:

- a. Analysis of "fire blight" - like cases on rosaceous plants.
During the summer 1979 a serious epidemic of bacterial canker caused by Xanthomonas pruni on plum trees cv. "Calita" occurred in Emilia region.
- b. Analysis of weather (spring pear blossom period) with Billing's system in order to assess the risks to pears in different areas of the Po-valley.

C. Bazzi
Ist. Patologia Vegetale

ARGENTINA

We are working on the control of Pseudomonas syringae using Streptomycin and Copper, but we don't have good results.

F. C. Meyer
Facultad de Agronomia

Future Meetings

September 16 - 18: Second International Workshop on Fire Blight Research, organized by the International Society for Horticultural Science in cooperation with the U. S. Apple and Pear Disease Workers.

Workshop location:

Olympic Hotel in Schilksee on the Baltic coast,
20 Km from Kiel.

Rooms: Single 40 DM/person
Double 35 DM/person

Registration: Deadline April 30, fee 70 DM/person
(includes excursion to Husum)

Purpose of the meeting is to present and share new ideas in research on bacteriology, etiology, epidemiology, breeding for resistance and chemical control of the disease. The program will include presentation of papers, ample time for discussion and a one-day excursion to the test plots near Husum on the western sea coast. For further details, contact Dr. W. Zeller, Biologische Bundesanstalt, Schlosskoppelweg 8, 2305 Heikendorf-Kitzeberg, West Germany, (Tel. 0431-23495).

Comings and Goings

Dr. Bob Goodman (University of Missouri) is spending a 9-month sabbatical overseas: from September 1 - March 1 in the Biophysics Department of the Weizmann Institute of Science, Rehovot, Israel and from March 1 - June 1 in the Department of Microbiology, University of Birmingham, Birmingham, England.

Dr. Harvey Quamme (CDA, Harrow, Ontario) is spending a sabbatical year With Drs. Alston and Watkins at the East Malling Research Station, England.

Dr. Tom van der Zwet will make the second part (first trip in summer 1978) of this germplasm collecting tour through eastern Europe between July 10 and September 10, 1980. On this trip emphasis will be placed on Yugoslavia and Romania which appear to be the richest countries in Pyrus germplasm.

Miscellaneous News

In 1979 an EEC program on fire blight was begun on three main topics:

1. Climate and fire blight (a course was organized by E. Billing in East Malling in July)
2. Chemical control of fire blight
3. Study of varietal susceptibility of pear and apple, and ornamentals. An experimental plot (Dax area) is available, with a small laboratory near by, and a technician, paid on EEC money (for 4 years).

To those who do not have a copy of the additional Bibliography to Agriculture Handbook 510 on fire blight, there are still copies available for distribution. Please contact T. van der Zwet, Appalachian Fruit Research Station, Route 2, Box 45, Kearneysville, West Virginia 25430.

New Doctoral Dissertations on fire blight

Bennett, R. A.

"Characteristics of the fire blight pathogen in relation to virulence"

Ph.D. Dissertation, East Malling Research Station, England, 1978.

Raymundo, A. K.

"Motility and chemotaxis of Erwinia amylovora"

Ph.D. Dissertation, University of Illinois, Urbana, 1980.

Slade, M. B.

"Serological studies on the genus Erwinia"

Ph.D. Dissertation, University of Reading, England, 1978.

Locations reporting cultures of
Erwinia amylovora available for
exchange purposes.


- | | |
|-----------------------------------|---------------------------------------|
| 1. Angers - Paulin, J. P. | 4. Harrow, Ont. - Bonn, W. G. |
| 2. Columbia, Mo. - Goodman, R. N. | 5. Urbana, Ill. - Ries, S. M. |
| 3. East Malling - Billing, E. | 6. Wilmington, Del. - Davidson, S. H. |

SPREAD OF FIRE BLIGHT

IN WESTERN EUROPE

DURING

THE 1970 DECADE




1971

AFTER GRIMM, R.,

FRUIT RESEARCH STATION,

WADENSWIL

SWITZERLAND



1976

NUMBERING AND HEADINGS OF CARD AND REPRINT COLLECTION
OF FIRE BLIGHT LITERATURE AT THE
APPALACHIAN FRUIT RESEARCH STATION
KEARNEYSVILLE, WEST VIRGINIA

I - XI United States

<u>Numbering</u>	<u>Heading</u>	<u>AH</u>	<u>AB</u>
I-A	Bulletins and Circulars	47 (236)	48
I-B	Distribution and Losses	71 (552)	70
I-C	Host Specificity	34 (789a)	36
II-A	Early History (1170 - 1870)	30 (457)	
II-B	Early History (1871 - 1900)	55 (377)	
II-C	Early History (1901 - 1910)	32 (61)	
III	Bacteriology	147 (871c)	163
IV	Etiology	83 (948a)	89
V	Entomology	36 (867)	38
VI	Epidemiology	49 (81c)	51
VII	Biochemistry	42 (349)	
VIII	Host Nutrition	22 (14a)	
IX	Chemical Control	222 (80c)	227
X	Eradication - Pruning	45 (547)	44
XI	Nature of Resistance	249 (474a)	258
EL	Extension Leaflets	68 (274)	71

AH = Agriculture Handbook Number 510 on Fire Blight

AB = Additional Bibliography to handbook.

Numbers indicate last entry in card and reprint collection as of: December 1978 used in the fire blight handbook or additional bibliography. Numbers in parenthesis are literature citation in the handbook.

XII and XIII Foreign Countries

<u>Numbering</u>	<u>Headings</u>	<u>AH</u>	<u>AB</u>
XII-A	Canada	81 (198c)	86
B	New Zealand	35 (53)	27
C	Australia	3 (1)	
D	Japan	15 (295)	7
E	China	4 (913)	6
F	Netherlands	30 (635a)	45
G	England	72 (85a)	83
H	Denmark	32 (216a)	38
J	Sweden	4 (289)	7
K	Norway	1 (288)	
L	West Germany	55 (1046b)	71
M	East Germany	6 (82a)	8
N	Austria	1 (983)	
O	Switzerland	11 (99a)	17
P	Poland	5 (124)	
Q	France	26 (788)	35
R	Belgium	8 (976b)	9
S	Luxemburg		
T	Italy	13 (143a)	15
U	Spain		
V	Czechoslovakia	1 (545a)	
W	Yugoslavia		
X	Hungary	1 (533)	
Y	Romania	5 (567)	3
Z	Bulgaria		

XIII - A	Russia	22 (711a)	23
B	Turkey	1 (284)	2
C	Israel		
D	Jordan	1 (980)	
E	Egypt	4 (263)	5
F	Rhodesia	1 (430)	
G	South Africa	9 (280a)	10
H	India	2 (763)	1
J	Pakistan		
K	Vietnam	2 (962)	
L	Mexico	2 (797)	3
M	Guatemala	1 (842)	
N	Chili		
O	Argentina		2
P	Brasil		
Q	Portugal	3 (869)	
R	Bermuda	1 (1005)	
S			
T			
U			
V			
W			
X			
Y			
Z	Miscellaneous	4 (1064)	5

(NOT LISTED IN USDA AGRICULTURE HANDBOOK 510 OR THE ADDITIONAL BIBLIOGRAPHY)

Schroth, M. N., S. V. Thomson and W. J. Moller
1978. Streptomycin resistance in Erwinia
amylovora. Proc. 4th Intern. Conf. Plant
Path. Bact. Vol. II: 527 (Abstr.)

- VI-53 Moller, W. J., W. O. Reil, S. V. Thomson
and M. N. Schroth 1978
Fire blight forecasting and control in
California; an historical perspective.
Proc. 4th Intern. Conf. Plant Path. Bact.
Vol. II: 457-460.
- XI-259 Watkins, J. E. and D. H. Steinegger 1978
Avoid failure: choose flowering crabs
carefully. Farm, Ranch and Home Quart.
25(1): 7-9.
- XI-260 Aldwinckle, H. D., J. L. Preczewski and S. V.
Beer 1978
Differences in response of apple (Malus Pumila)
Cultivars to inoculation with Erwinia amylovora.
Proc. 4th Intern. Conf. Plant Path. Bact.
Vol. II: 505-512.
- XI-261 Dayton, D. F., J. B. Mowry, E. B. Williams, J.
Janick, F. H. Emerson, L. F. Hough and C. H.
Bailey 1979
Jonafree apple. HortScience 14(4): 551-552.
- XI-262 Aldwinckle, H. S. and R. C. Lamb 1978
Breeding of disease-resistant scion cultivars
of apples. Proc. 3rd Intern. Congr. Plant
Path., p. 293 (Abstr.)
- EL-72 Dickens, L. E. and N. S. Luepschen 1979
Fire blight. Colo. State Extension Serv.
Leaflet 2.907, 2pp.
- CANADA XII-A-87 Bonn, W. G. 1978
Susceptibility of apple scions on different
rootstocks to infection by Erwinia amylovora.
Proc. 4th Intern. Conf. Plant Path. Bact.
Vol. II: 493-497.
- XII-A-88 Bonn, W. G. 1978
Fire blight bacteria in dormant apple and
pear buds. Proc. 4th Intern. Conf. Plant
Path. Bact. Vol. II: 739-741
- XII-A-89 Bonn, W. G. 1979

Fire blight bacteria in symptomless dormant
apple and pear buds. Canad. Jour. Plant
Path. 1: 61-62.
- XII-A-90 Gibbins, L. N. 1978
Erwinia herbicola: a review and perspective.
Proc. 4th Intern. Conf. Plant Path. Bact. Vol.
II: 403-432.
- JAPAN XII-D-16 Wakimoto, T. 1977
Biologically active substances produced by
phytopathogenic bacteria. Jour. Pestic. Sci.
(Nihon Noyakugaku Kaishi) 2: 495-504.

NETHERLANDS

- XII-F-46 Netherlands Plant Protection Service. 1978
Bacterievuur -- een gevaarlijke plantenziekte
in de fruitteelt. Neth. Plant Protect.
Serv. Circular (updated copy of liter. cit.
680 and 680a in Handbook 510)
- XII-F-47 Meijneke, C.A.R. 1978
Bacterievuur. Neth. Plant Protect. Serv.
Ybk. 1977: 55-59.
- XII-F-48 Meijneke, C.A.R. 1979
Bacterievuur. Neth. Plant Protect. Serv.
Ybk. 1978: 58-61.
- XII-F-49 Kortleve, C. 1979
Bacterievuur en meidoornhagen. De Fruitteelt,
p. 964.
- XII-F-50 Kooistra, T. and H.W.A. Sloot. 1978
Ervaringen met chemische bestrijding van
bacterievuur (Erwinia amylovora).
Gewasbescherming 9(6): 167-174.
- XII-F-51 Maas Geesteranus, H.P. 1978
Studies on the susceptibility of Crataegus
species to Erwinia amylovora (Burr.)
Winsl. et al. Proc. 4th Intern. Conf.
Plant Path. Bact. Vol. II: 499-504.

ENGLAND

- XII-G-84 Bennett, R. A. 1978
Characteristics of Erwinia amylovora in
relation to virulence. Proc. 4th Intern.
Conf. Plant Path. Bact. Vol. II: 479-481.
- XII-G-85 Bennett, R. A. 1978
Quatitative studies on the virulence of
Erwinia amylovora. Proc. 4th Intern. Conf.
Plant Path. Bact. Vol. II: 527 (Abstr.)
- XII-G-86 Billing, E. 1978
The epidemiology of fire blight on hawthorn
in England. Proc. 4th Intern. Conf. Plant
Path. Bact. Vol. II: 487-492.
- XII-G-87 Billing, E. 1978
The assessment of the potential of fire
blight activity from daily temperature and
rainfall data. Proc. 4th Intern. Conf.
Plant Path. Bact. Vol. II: 523-524.
- XII-G-88 Slade, M.B. and A.I. Tiffin 1978
Serological cross-reactions between
Erwinia amylovora and Erwinia herbicola.
Proc. 4th Intern. Conf. Plant Path. Bact.
Vol. I: 289-294.

- XII-G-89 Lelliott, R. A. 1978
Effect of temperature on populations of Erwinia amylovora in host blossoms.
Proc. 4th Intern. Conf. Plant Path. Bact.
Vol. II: 527 (Abstr.)

WEST GERMANY

- XII-L-72 Zeller, W. 1978
Untersuchungen zur Feuerbrandkrankheit in der Bundesrepublik Deutschland. 4.
Überlebensdauer von Erwinia amylovora an gerodetem Weissdorn (Crataegus monogyna)
Nachrichtenbl. Deutsch. Pflanzenschutzd. 30(12): 186-188.
- XII-L-73 Schroeder, C. M. 1978
Studies on the epidemiology of fire blight caused by Erwinia amylovora. Zeitsch. Pflanzenkr. und Pflanzenschutz 85(8-9): 482-501.
- XII-L-74 Knosel, D. and H. Cornils 1978
Development of cell numbers of Erwinia amylovora in Erwinia amylovora in plant tissue under influence of streptomycin treatment. Proc. 4th Intern. Conf. Plant Path. Bact. Vol. II. II: 461-466.
- XII-L-75 Zeller, W. 1978
Epidemiology of fire blight on ornamentals. Proc. 4th Intern. Conf. Plant Path. Bact. Vol. II: 513-518.
- XII-L-76 Zeller, W. 1979
Resistenzprüfung von Birnen und Apfelsorten gegen den Feuerbrand (Erwinia amylovora). Mitt. Biol. Bundesanst. Land-Forstwirtschaft. (Berlin-Dahlem) 191: 305-306.
- XII-L-77 Zeller, W. 1979
Zum derartigen Stand der Feuerbrand Bekämpfung. Erwerbsobstbau 21: 193-195.

EAST GERMANY

- XII-M-9 Schaefer, H. J. and D. Beyme 1979
Anfalligkeit von Apfel und Birnensorten, Malus, Pyrus und Cydonia arten, sowie vegetativ vermehrbaren Apfelunterlagen gegenüber Erwinia amylovora (Burrill)
Winslow et al. Archiv für Gartenbau 3(27): 125-135.

SWITZERLAND

- XII-O-18 Grimm, R. 1978
Neue Feuerbrand Situation. Schweiz. Zeitschr. Obst und Weinbau 114(26): 733-735.

- XII-O-10 Maurer, T. R. and R. Grimm 1980
Untersuchung zur Prognose des Feuerbrandes.
Schweiz. Zeitschr. Obst und Weinbau 116(1):
10-14.
- FRANCE
- XII-Q-36 Paulin, J. P. 1978
Biological control of fire blight:
preliminary experiments. Proc. 4th Intern.
Conf. Plant Path. Bact. Vol. II: 525.
- XII-Q-37 Paulin, J. P. and G. Lachaud 1978
Fire blight situation in France: August 78.
Proc. 4th Intern. Conf. Plant Path. Bact.
Vol. II: 519-521.
- XII-Q-38 European and Mediterranean Plant Protection
Organization
Fire blight; France. Europ. and Medit.
Plant Protect. Organ. Rept. 425, 1p.
- ITALY
- XII-T-16 Bazzi, C. 1978
Il "Colpo di fuoco" batterico. L'Informatore
Agrario 34 (21), 4 pp., Illus.
- HUNGARY
- XII-X-2 Klement, Z. 1971
Erwinia amylovora europai es Foldkozi-tenger
melleki elterjedese es a karantenrendzabalyok.
Mezogazdasagi es Elelmezesugui Ministerium
Informacios Kozpontja, Budapest, 56 pp., Illus.

SURVEY OF FIRE BLIGHT RESEARCH IN THE UNITED STATES, CANADA AND EUROPE

(updated through December 1979)

Country/State	Investigator	Discipline	Full-time		Source of support	Objectives
			effort percent	Support personnel number		
United States						
Arkansas: Fayetteville	Slack, D. Rom, R. C.	Pathology Horticulture	5		State	Several phases of fire blight control; testing pear selections for blight resistance.
California: Berkeley	Schroth, M. N.	Pathology	15	5.1	State, Fed. Ext.	Study ecology, biology and variation of <i>Erwinia amylovora</i> ; chemical and biological control; monitor bacterial population on pear trees.
Davis	Moller, W. I.	Pathology	20		State, Fed. Ext., Hatch, Indus. State	Field evaluation of <i>E. amylovora</i> monitoring and its relation to blight control. Evaluating hybrid resistance in pears.
	Ryugo, K.	Physiology	10	.01	State	Culture of pears and blight control.
	Beutel, I.	Pomology	5	.3	State	Study ecological genetics of <i>Erwinia</i> , particularly virulence in <i>E. amylovora</i> .
	Starr, M. P.	Bacteriology	25	.5	State	Evaluating new chemicals for blight control and field inoculation techniques; etiology.
Colorado: Grand Junction	Luepschen, N. S.	Pathology	5		State	Evaluating new chemicals for blight control.
Delaware: Wilmington	Davidson, S. H.	Pathology	10	.1	Indus.	Evaluating new chemicals for blight control.

<u>Georgia:</u> Byron	Thompson, J. M.	Genetics	10	2	Fed. (USDA)	Breeding and evaluating apple selections for blight resistance; Cooperating with pear program at Kearneysville, WV.
<u>Illinois:</u> Urbana	Mies, S.	Bacteriology	10	.1	Hatch	Epidemiology and Chemotaxis.
<u>Indiana:</u> Lafayette	Williams, E. B.	Pathology	2	.1	State, Hatch	Field survey for blight resistance in scab resistant apple seedlings
	Janick, J.	Horticulture	15	.3	State, Hatch	Breeding pears for blight resistance.
<u>Kentucky:</u> Lexington	Kuc, J.	Biochemistry	5	.5	State	Microbial induced protection of apples and pears against <u>E. amylovora</u> .
<u>Michigan:</u> East Lansing	Klos, E.	Pathology	20	.7	State, Indus.	Role of bacteriophage in relation to blight control; evaluating new ways to increase effectiveness of compounds; determining role of yellow <u>Erwinia</u> ; monitoring <u>E. amylovora</u> populations; surveying for resistant individuals. Breeding and selecting pear varieties resistant to blight. Developing better timing of fire blight treatments; monitoring <u>E. amylovora</u> populations.
	Carlson, R. F.	Horticulture	1		State	
	Jones, A.	Pathology	5		Fed. Ext.	
<u>Minnesota:</u> St. Paul	Stushnoff, C.	Horticulture	10	.5	State	Breeding and evaluating apple selections for blight resistance.
<u>Missouri:</u> Columbia	Goodman, R. N.	Bacteriology	80	2.5	State, Natl. Sci. Found., Indus.	Study host specificity, biochemical properties, and mode of action of <u>E. amylovora</u> toxin; developing bioassay with toxin for evaluating blight resistance of pear and apple seedlings; induction of immunity.

<u>New Jersey:</u>									
<u>New Brunswick</u>									
		Hough, L. F.	Horticulture	10	.05	State, Hatch	Evaluation of pear seedlings with oriental parentage for fire blight resistance.		
	Rahway	Landis, W. R.	Pathology	1	.5	Indus.	Field evaluation of chemical for blight control.		
<u>New York:</u>									
<u>Geneva</u>									
		Aldwinckle, H. S.	Pathology	20	.5	State, Hatch	Developing inoculation techniques to evaluate resistance of apple cultivars and seedlings in breeding program; evaluating new chemicals for blight control.		
		Szkolnik, M.	Pathology	2			Breeding and evaluating apple rootstocks for blight resistance.		
		Gilpatrick, J.	Pathology	10	.1		Breeding and evaluating pear seedlings for blight resistance.		
		Norelli, J. L.	Pathology	100			Breeding and evaluating apple selections for blight resistance.		
		Cummins, J. N.	Horticulture	10	.1	State, Hatch			
		Lamb, R. C.	Horticulture	1	.02	State, Hatch			
		Way, R. D.	Horticulture	3	.03	State, Hatch			
	Ithaca	Beer, S. V.	Pathology	50	1.0	State, Hatch	Epidemiological, physiological, and biological factors affecting blight infection and resistance.		
	Middleport	French, J. P.	Pathology	1	.5	Indus.	Evaluating new chemicals for blight control.		
	New York	Carrol, V.	Biochemistry	15	1.2	Indus.	Evaluating new chemicals for blight control.		
	Syracuse	Abdel-Rahman, M.	Horticulture Pathology	20	2.0	Indus.	Evaluating chemicals for blight control; teaching field agents latest methods of blight control.		
<u>North Carolina:</u>									
<u>Goldsboro</u>									
		Bates, J. J.	Pathology	5	.1	Indus.	Field testing of chemicals for blight control.		
	Raleigh	Ritchie, D. F.	Pathology	1	.01	State	Evaluating pear seedlings in the field for blight resistance.		
<u>Ohio:</u>									
<u>Wooster</u>									
		Blake, R. C.	Horticulture	100	1.0	Fed. (USDA)	Breeding pears for blight resistance (cooperative program with USDA in Kearneysville, WV)		

<u>Oregon:</u> Hood River	Spotts, R. A.	Pathology	15	.1	State	Effect of overhead tree misting in pear orchard on incidence of fire blight; testing chemicals for blight control.
Medford	Rackham, R.	Pathology	5		State, Hatch	Monitoring <u>E. amylovora</u> in pear orchards.
Pennsylvania: Bixlerville	Lombard, P. B.	Horticulture	15		State	Examining pear rootstocks and selections for blight resistance.
	Hickey, K. D.	Pathology	5		State	Evaluating new chemicals for blight control; monitoring for tolerance.
Utah: Logan	Thomson, S. V.	Pathology	10		State	Monitoring bacterial populations on pears, apples and ornamentals.
Virginia: Blacksburg	Drake, C. R.	Pathology	8		State, Indus.	Determining whether pear industry can be established in Virginia
Winchester	Yoder, K.	Pathology	5	.1	State, Indus.	Evaluating new chemicals for blight control.
Washington: Wenatchee	Covey, R. P., Jr.	Pathology	40	.5	State	Evaluating new chemicals for blight control; study effect of environmental factors and bacterial population on blight development; surveying extent of streptomycin resistance.
West Virginia: Kearneysville	van der Zwet, T.	Pathology	100	1.0	Fed. (USDA)	Breeding pears for blight resistance; genetic studies of blight inheritance; improvement of inoculation techniques; study relation of artificially inoculated seedlings with naturally infected trees; determining degree of resistance in various pear tissues.
	Bell, R. L.	Breeding	100	1.0	Fed. (USDA)	
Wisconsin: Madison	Hefmann, M. F.	Pathology	2		State	Diagnosis of fire blight.

<u>District of Columbia:</u>	Egolf, D. R.	Horticulture	20	1.0	Fed. (USDA)	Breeding and evaluating crabapple, pyracantha and cotoneaster for blight resistance.
CANADA						
<u>British Columbia:</u>						
Sumnerland	Yorston, Y. M.	Pathology	10	.75	Canad. and Columbia Dept. Agr.	Monitoring populations of <u>E. amylovora</u> on irrigated and non-irrigated pear and apple trees; study elimination of <u>E. amylovora</u> from fruit being exported.
<u>Ontario:</u>						
Guelph	Gibbins, L. N.	Bacteriology-Physiology	30	3.0	Natl. Res. Council of Canada	Physiology of cytoplasmic membrane of <u>E. amylovora</u> with particular reference to the effect of inhibitors.
Harrow	Quamme, H.	Horticulture	100	1.0	Canad. Dept. Agr.	Breeding and evaluating blight resistant varieties of pear and dwarfing rootstocks; study inheritance of resistance.
	Bonn, W. G.	Pathology	70	.7	Canad. Dept. Agr.	Developing satisfactory control measures by studying epidemiology and environmental factors; monitoring <u>E. amylovora</u> in orchards.
Simcoe	Hunter, C. L.	Pathology	5	.05	Hort. Res. Inst. of Ontario	Survey of fire blight in apples on M26 rootstock in Ontario.
Vineland	Cline, R. A.	Plant Nutrition	2	.05	Hort. Res. Inst. of Ontario	Effect of rootstock and nutrients on fire blight.

EUROPE

Belgium: Merelbeke

Veldeman, R. Geenen, J.	Pathology	10	0.05	Fed.	Diagnostic methods; epidemiology; host plant flowering time; monitoring system. Insect transmission of fire blight.
Van Laere, O.	Entomology				

Denmark: Copenhagen

Hockenhull, J.	Bact./physiol. Horticult- Pathology	40 10 40	0.1	Univ.	(Overwintering of <i>E. amylovora</i> in <i>Crataegus</i> - sites and numbers; symptomless infections - ingress through leaves into the xylem; longevity of bacteria; use of fluorescent antibody techniques in the identification and location of <i>E. amylovora</i> in host tissue.
----------------	---	----------------	-----	-------	---

Herning

Simonsen, J.	Pathology	5	0	Fed.	Influence of cutting and pruning of <i>Crataegus</i> shelter belts and hedges on infection and disease severity.
--------------	-----------	---	---	------	--

Horsholm

Christensen, F. G.	Breeding	25	0	Univ.	Selection of resistant plants. Breeding for resistance in indigenous <i>Crataegus</i> .
--------------------	----------	----	---	-------	---

Lynby

Jensen, A. Jørgensen, H. A.	Pathology	30	0.25	Fed.	Diagnosis, resistance testing of host plants (ornamentals) under field conditions.
--------------------------------	-----------	----	------	------	--

England: Maidstone

Billing, E.	Bact./physiol.	100	1.0		Epidemiology - forecasting and control.
Alston, F.	Breeding Pathology	5 95			Pear breeding.

Wantage

Bennett, R. A.	Biochem.	5			Early stages of infection
----------------	----------	---	--	--	---------------------------

<u>France:</u>						
Angers	Samson, R.	Bact./Physiol.	10	1.0	Fed.	Serology of the genus <u>Erwinia</u> ; serological identification of <u>E. amylovora</u> .
	Paulin J. P.	Pathology	90	2.5	Fed.	Epidemiology, ecology of <u>E. amylovora</u> on host plants; biological control.
	Thibault, B.	Breeding	30	.5	Fed.	Breeding for resistance.
<u>Germany (East):</u>						
Aschersleben	Kleinhempel, H.	Bact./Physiol Horticult. Pathology	10 10 10	1.0	Fed.	Diagnosis, pathology and control measures of fire blight.
<u>Germany (West):</u>						
Arensburg	Reinmann-Philipp, R.	Breeding Horticult. Pathology	30 30 50		Fed.	Breeding for resistance in cotoneaster.
Dossenheim	Seemüller, E. Schmidle, A.	Biochemistry/ pathology	5	0.33	Fed.	Resistance testing of apple and pear cultivars; biochemical aspects of resistance.
Hamburg	Cornils, H. Knosel, D.	Bact./Path. Bact./Path.	100 10		Fed. Fed.	Mode of action of antibiotics in the plant.
Heikendorf	Zeller, W. Brulez, W.	Pathology Pathology	100 100	1.0 1.0	Fed. Fed.	Chemical and cultural methods of control. Epidemiology and physiology of fire blight.
Husum	Meyer, J.	Bact./Physiol Biochemistry	20 10	3.0		Resistance testing of apple, pear and ornamentals under field conditions.
Kiel	Schulz, F. A. Schroder, C.	Biochemistry Pathology	100 100		Univ.	Epidemiological studies on ornamentals and fruit under Schleswig-Holstein conditions; pathological studies - infection and pathogenesis.

Netherlands: Boskoop	Beving, J.	Horticult. Pathology	15 25	Fed.	Testing for susceptibility of ornamental shrubs.
Wageningen	Meijneke, C.A.R.	Pathology		Fed.	Secretary of the Dutch Fire Blight Working Group.
	Kooistra, T.	Pathology		Fed.	Methods of fire blight control.
	Hevbroek, H. M.	Breeding			Development of resistant indigenous crataegus.
	Maas Geesteranus, H. P.	Bacter./Physiol.	10	Univ.	Diagnostic serology.
Poland: Skiermiewice	Sobolewski, P.	Bacteriol. Pathology	25 25		Prevention of introduction and establishment of fire blight in Polish orchards and fruit nurseries; diagnosis and field inspection of apple, pear and hawthorn
Spain: Madrid	Noval Alonso, C.	Bacteriology	30	State	Diagnoses of susceptible plants; studies in climatology

LIST OF PERSONS INTERESTED IN FIRE BLIGHT 1/

Abdel-Rahman, M., Fertilizer-Chemical Division, Agway Inc., P.O. 4933, Syracuse, New York 13221. (315-477-6176)	(1)	USA
Aldwinckle, H. S., Department of Plant Pathology, N.Y. State Agric. Expt. Station, Geneva, New York 14456. (315-787-2317)	(1)	USA
Alston, F. H., Fruit Breeding Section, East Malling Research Station, East Malling, Maidstone, Kent, ME19 6BJ, England	(1)	UK
Andersen, H., The Government Plant Protection Service, Gersonsvej 13, 2900 Hellerup, Denmark. (01-620787)	(1)	DK
Ark, P. A., St. Pauls Towers, 100 Bay Place, Apt. 1915, Oakland, California 94610. (415-835-4700 ext. 293)	(4)	USA
<u>Arsenijevic</u> , M., Faculty of Agriculture, Institute for Plant Protection, Akademaska 2, 21000 Novi Sad, Yugoslavia. (021-58-366)	(3)	YUG
Bailey, Catherine H., Department of Hort. & Forestry, N.J. Agric. Expt. Station, P.O. Box 231, New Brunswick, New Jersey 08903. (201-932-9389)	(2)	USA
Barrat, J. G., W. Va. University Expt. Farm, Kearneysville West Virginia 25430. (304-267-4712)	(2)	USA
Bates, J. J., Biological Research Center, Imperial Chemicals Inc., P.O. Box 208, Goldsboro, North Carolina 27530. (919-736-3030)	(2)	USA
Baykal, N., A.U. Ziraat Fakultesi, Fitopatoloji Kursusu, Ankara, Turkey	(3)	TUR
<u>Bazzi</u> , C., Istituto Patologia Vegetale, University of Bologna, via Filippo Re 8, 40126 Bologna, Italy. (227401)	(3)	ITA

1/ Names underlined are contact persons for preparation of fire blight newsletter. Numbers in parenthesis are local telephone and those in column at right indicate activity or interest in fire blight:

1. Actively engaged in fire blight research;
2. Indirectly interested in fire blight;
3. Interested in fire blight, but located in region where disease is not present;
4. Retired but still interested in fire blight activities.

<u>Beer</u> , S. V., Department of Plant Pathology, Cornell University, Ithaca, New York 14853. (607-256-3259)	(1)	USA
Bell, R. L., Appalachian Fruit Research Station, Rt. 2, Box 45, Kearneysville, West Virginia 25430. (304-725-3451)	(1)	USA
Bennett, R. A., Agricultural Research Council, Letcombe Laboratory, Wantage, Oxfordshire OX12 9JT, England. (Wantage 3327)	(2)	UK
Berggren, J., Kalo Laboratories, Inc., 9233 Ward Parkway, Kansas City, Missouri 64114. (816-363-1800)	(2)	USA
Beutel, J. A., Department of Pomology, University of California, Davis, California 95616. (916-752-0507)	(1)	USA
Biehn, W., Ciba Geigy Corporation, R + D Agric. Div., Box 11422, Greensboro, North Carolina 27409	(2)	USA
<u>Billing</u> , Eve, Plant Pathology Section, East Malling Research Station, East Malling, Maidstone, Kent, ME19 6BJ, England. (0732-843833)	(1)	UK
Blake, R., Department of Horticulture, Ohio Agric. Res. & Devel. Center, Wooster, Ohio 44691. (216-264-1021 ext. 275)	(1)	USA
Bolay, A., Section de Phytopathologie, Station Federale de Recherches Agronomiques de Changins, 1260 Nyon, Switzerland. (022-615451)	(3)	SWT
<u>Bonn</u> , W. G., Canada Agriculture, Research Station, Harrow, Ontario NOR 1G0, Canada. (519-738-2251)	(1)	CND
Bredemeier, D., Universidade Federal de Santa Maria, Departamento de Fitotecnia, 97-100 Santa Maria, Rio Grande do Sul, Brazil	(3)	BRA
Brulez, W., Biologische Bundesanstalt, Institut fur Pflanzenschutz, Schloss Koppelweg 3, 2305 Heikendorf, West Germany. (0431-23495).	(1)	BRD
Burr, T. J., Department of Plant Pathology, N.Y. State Agric. Expt. Station, Geneva, New York 14456. (315-787-2312)	(2)	USA
Bushong, J. W., Agrichemicals Project, 34 Center, Bldg. 223-6SE, Minnesota Mining & Manufacturing Comp., St. Paul, Minnesota 55101. (612-733-0368)	(2)	USA

R

Cameron, H. R., Department of Botany & Plant Pathology, Oregon State University, Corvallis, Oregon 97330. (503-754-4044)	(2)	USA
Carlson, R. F., Department of Horticulture, Michigan State University, East Lansing, Michigan 48823. (517-355-5200)	(2)	USA
Carroll, V. J., Chemicals Division, Pfizer Inc., 235 East 42nd, New York, New York 10017. (212-573-2643)	(1)	USA
Chandler, D., 1006 S. 32nd Avenue, Yakima, Washington 98902. (509-253-3414)	(2)	USA
Christensen, F. G., The Royal Veterinary and Agricultural University, Arboretum, 2970 Horsholm, Denmark. (02-860641)	(2)	DK
Civerolo, E. L., U.S. Department of Agriculture, Fruit Laboratory, Room 111, Building 004, BARC-West, Beltsville, Maryland 20705. (301-344-3569)	(2)	USA
Clayton, C. N., Department of Plant Pathology, North Carolina State University, Raleigh, North Carolina 27607. (919-737-2721)	(4)	USA
Cline, R. A., Horticulture Research Institute of Ontario, Vineland Station, Ontario LOR 2E0, Canada. (416-562-4141)	(2)	CND
Cornils, H., Inst. fur Angewandte Botanik, Univ. of Hamburg, Marseillerstr. 7, 2000 Hamburg 36, West Germany. (040-4123-2359)	(1)	BRD
Coulombe, L. J., Canada Agriculture, P.O. Box 457, St. Jean, Quebec J3B 6B8, Canada. (514-346-4494)	(2)	CND
Covey, R. P., Tree Fruit Research Center, 1100 North Western Avenue, Wenatchee, Washington 98801. (509-663-8181)	(1)	USA
Crowe, A. D., Canada Agriculture, Tree Fruit Section, Research Station, Kentville, Nova Scotia, Canada. (902-678-2171)	(2)	CND
Cummins, J. N., Department of Pomology & Viticulture, N.Y. State Agr. Expt. Station, Geneva, New York 14456. (315-787-2233)	(1)	USA

Dale, T., Norwegian Plant Inspection Service, P.O. Box 94, Okern, Oslo 5, Norway. (02-224760)	(3)	NOR
Davidson, J. G. N., Canada Agriculture, Research Station, Box 29, Beaverlodge, Alberta T0H 0C0, Canada. (403-354-2212)	(2)	CND
<u>Davidson</u> , S. H., DuPont de Nemours & Company, Expt. Station, Bldg. 268, Wilmington, Delaware 19898. (302-772-2814)	(1)	USA
Dowler, W. M., U. S. Dept. of Agric., National Program Staff, Room 328, Bldg. 005, BARC-West, Beltsville, Maryland 20705. (301-344-3915)	(2)	USA
<u>Drake</u> , C. R., Department of Plant Pathology & Physiology, Maryland Virginia Polytechnic Institute, Blacksburg, Virginia 24061. (703-951-5251)	(2)	USA
<u>Dye</u> , D. W., Plant Diseases Division, Dept. of Scientific & Industr. Research, Private Bag, Auckland, New Zealand	(2)	NZ
Egolf, D. R., U. S. National Arboretum, 24 & R Streets, N.E., Washington, D. C. 20002. (202-472-9263)	(1)	USA
Egli, T., Ciba-Geigy Chem. Company Ltd. AC 2.82, 4002 Basel, Switzerland.	(3)	SWT
Ercolani, G. L., Istituto di Microbiologia Agraria e Tecnica, Facolta di Agraria, Via Amemdola 165/A, 70126 Bari, Italy. (080-339422)	(3)	ITA
Erskine, J. M., Stauffer Chemical S. A., P. O. Box 78417, Sandton 2146, Transvaal, South Africa (Johannesburg 783-7250)	(2)	SA
Evans, I. Plant Industry Laboratory, Alberta Agriculture, 6909-116 St., Box 8070, Edmonton, Alberta T6H 4P2, Canada	(2)	CND
Fideghelli, C., Istituto Sperimentale per la Frutticoltura, Via di Fioranello n. 52, Ciampino Aeroporto, 00040 Rome, Italy.	(3)	ITA
<u>Fox</u> , R. T. V., I.C.I., Plant Protect Division, Jealott's Hill Res. Station, Bracknell, Berkshire RG12 6EY England. (0344-24701)	(2)	UK
French, J. P., Food and Machinery Corp., 100 Niagara Street, Middleport, New York 14105. (716-735-3761 ext. 361)	(2)	USA

- Fucikovsky, L., Rama de Fitopatologia, Colegio de Postgraduados, Escuela Nacional de Agricultura, Chapingo, Mexico. (5-85-45-55-ext. 217) (2) MEX
- Garibaldi, A., Istituto di Patologia Vegetale, Via Giuria 15, 10126 Torino, Italy (3) ITA
- Geenen, J., Rijksstation voor Plantenziekten, 96 Burg. van Gansberghelaan, 9220 Merelbeke, Belgium. (2) BLG
- Gibbins, L. N., Department of Microbiology, University of Guelph, Guelph, Ontario N1G 2W1 Canada (519-824-4120, ext. 3477) (2) CND
- Gilpatrick, J. D., Dept of Plant Pathology, N. Y. State Agr. Exp. Station, Geneva, New York 14456. (315-787-2335) (1) USA
- Goodman, R. N., Dept. of Plant Pathology, University of Missouri, Columbia, Missouri 65201. (314-882-2418) (1) USA
- Goto, M., Laboratory of Plant Pathology, Faculty of Agriculture, Shizuoka University, 836 Ohya, Shizuoka, Japan (3) JAP
- Grimm, R. Federal Res. Station for Fruit-growing, Viticulture and Horticulture, 8820 Wadenswill, Switzerland. (01-7801333) (3) SWT
- Gupta, V. K., Regional Fruit Research Station, Black Rock, Mashobra, Simla 171007, India. (3) IND
- Harnish, W., Agric. Chem. Div., Food & Machinery Corporation 100 Niagara Street, Middleport, New York 14105. (716-735-3761) (2) USA
- Heimann, Mary Francis, Dept. Plant Pathology, University of Wisconsin, Russell Labs., 1630 Linden Drive, Madison, Wisconsin. (608-262-1426) (1) USA
- Heybroek, H. M., Dorschkamp Research Inst. for Forestry and Landscape Planning, P. O. Box 23, 6700 AA Wageningen, The Netherlands. (08370-19050) (1) NL
- Heyting, Johanna, Institute for Hort. Plant Breeding, Research Station for Arboriculture, Valkenburgerlaan 3, 2770 AC Boskoop, The Netherlands (01727-3220) (1) NL
- Hickey, K. D., Fruit Research Laboratory, Penn. State Univ., Biglerville, Pennsylvania 17307. (717-677-6116) (2) USA

- Hildebrand, Earl M., 11092 Timberlane Drive, Sun City,
Arizona 85351. (602-977-5326) (4) USA
- Hough, L. F., Department of Hort. & Forestry, N. J.
Agric. Expt. Station, P. O. Box 231, New Brunswick,
New Jersey 08903. (201-932-9389) (1) USA
- Hunter, C. L., Soils and Crops Branch, Ontario Ministry
of Agriculture and Food, P. O. Box 587, Simcoe,
Ontario N3Y 4N5, Canada (519-426-7120) (1) CND
- Janick, J., Department of Horticulture, Purdue University,
West Lafayette, Indiana 47907. (317-749-2261
ext. 240) (1) USA
- Jenkins, P. J., Victorian Plant Research Inst., Swan
Street, Burnley, Victoria 3121, Australia. (3) AUS
- Jensen, A., State Plant Pathology Institute, Lotten-
borgvej 2, 2800 Lyngby, Denmark. (1) DK
- Johnson, D. E., 3310 Jefferson Avenue, Yakima, Washington
98902 (2) USA
- Jones, A. L., Department of Botany & Plant Pathology,
Michigan State University, East Lansing, Michigan
48823. (517-355-4573) (2) USA
- Jorgensen, H. A., State Plant Pathology Institute,
Lottenborgvej 2, 2800 Lyngby, Denmark.
(01-3725-10) (2) DK
- Joseph, E., Service Phytosanitaire, Div. de l'Agriculture,
Martenhofstr 5, 3003 Bern, Switzerland. (3) SWT
- Kado, C. I., Department of Plant Pathology, University
of California, Davis, California 95616.
(916-752-0325) (2) USA
- Kato, T., Research Department, Pesticides Div., Institute
for Biological Science, Sumitomo Chemical Co., Ltd.,
2-1, 4-Chome, Takatsukasa, Takarazuka, Hyogo, 665,
Japan (3) JAP
- Kleinhenkel, H., Inst. für Phytopathologie, Theodor-
Roemer-Weg 4, 432 Aschersleben, East Germany. (3) DDR
- Klement, Z., Dept. of Pathophysiology & Disease
Resistance, Research Institute for Plant Protection,
Herman Otto u. 15, 1525 Budapest II, Hungary.
(358-137) (3) HUN

- Klos, E. J., Department of Botany & Plant Pathology,
Michigan State Univ., East Lansing, Michigan 48823.
(517-355-4680) (1) USA
- Knosel, D., Inst. fur Angewandte Botanik, Univ. of
Hamburg, Marseiller Str 2000 Hamburg 36, West
Germany. (040-4123-2353) (1) BRD
- Koenigshof, R., Pear Research Association, Box 4050,
Kerlikowske Rd., Coloma, Michigan 49038.
(616-849-2375) (2) USA
- Kooistra, T., Plant Protection Service, Geertjesweg 15,
6706 EA Wageningen, The Netherlands (08370-19001) (1) NL
- Kraus, P., Bayer Chem. Company, Pflanzenschutz Anwendungs-
technik, Biologische Forschung, 5090 Leverkusen,
Bayerwerk, West Germany. (02172-306081) (3) BRD
- Kroeker, G., Swedish Univ. of Agric. Sciences, Box 7036,
75007, Uppsala 7, Sweden. (018-102000) (3) SWD
- Kuc, J., Dept. of Plant Pathology, S-305 Agric. Sci.
Center North, Univ. of Kentucky, Lexington, Kentucky
40506. (606-258-4978) (2) USA
- Kudela, V., Institute of Plant Protection, Research Inst.
of Plant Production, Drnovska 507, 16106 Prague 6
(Ruzyne) Czechoslovakia. (3) CZE
- Lacy, G. H., Department of Plant Pathology, Conn. Agric.
Expt. Station, New Haven, Connecticut 06504
(203-789-7222) (2) USA
- Laere, O. van, Research Station for Phytopathology,
96 Burg. van Gansberghelaan, 3220 Mellebeke, Belgium. (1) BLG
- Lamb, R. C., Department of Pomology & Viticulture, N. Y.
State Agr. Expt. Station, Geneva, New York 14456.
(315-787-2235) (1) USA
- Lampinen, Maria, National Board of Agriculture, Plant
Protection Service, 551 83 Jonkoping, Sweden.
(036-169420) (3) SWD
- Landis, W. R., Agric. Chem. Development, Merck & Company,
Inc., Rahway, New Jersey 07065. (201-574-6605) (2) USA
- Lelliott, R. A., Plant Pathology Laboratory, Hatching
Green, Harpenden, Herts AL5 2BD, England.
(Harpenden 5241) (2) UK

- Lombard, L. B., Southern Oregon Expt Station, 569
Hanley Road, Medford, Oregon 97501. (503-772-5165) (2) USA
- Lopez Gonzalez, M., Dept. Proteccion Vegetal, I.N.I.A.
CRIDA 07, Moncada-Vale, Spain (739-1000) (3) SPN
- Luepschen, W. S., Colorado State University, Orchard Mesa
Research Center, 3168 Bl Road, Grand Junction,
Colorado 81501. (303-241-2816) (1) USA
- Maas Geesteranus, H. P., Research Inst. for Plant
Protection, Binnenhaven 12, 6700 AA Wageningen,
The Netherlands. (08370-19151) (1) NL
- Mansergas, A. J. F., Ministerio de Agricultura, Departamento
de Fruticultura, Apartado 202, Zaragoza, Spain
(976-29 72 07). (3) SPN
- Massfeller, D., Pflanzenschutzamt, Mittelstrasse 99,
P. O. Box 42, 5300 Bonn-2, West Germany.
(02221-376931) (1) BRD
- Mathys, G., European and Mediter. Plant Protect. Organ.,
1 rue La Notre, 75016 Paris, France. (870-77-94) (3) FR
- Matthee, F. N., Plant Path. Division, Fruit and Food
Technology Research Institute, Private Bag X. 5013,
Stellenbosch 7600, South Africa (2001) (3) SA
- Mazzucchi, U., Istituto Patologia Vegetale, University of
Bologna, via Filippo Re 8, 40126 Bologna, Italy
(227401) (3) ITA
- McIntyre, J., Dept. of Plant Pathology, Conn. Agric. Expt.
Station, Box 1106, New Haven, Connecticut 06504.
(203-789-7257) (2) USA
- McPhee, R., Canada Agriculture, Research Station, Summerland,
British Columbia V0H 1Z0, Canada. (604-494-7711) (2) CND
- McSwan, I. C., Department of Botany & Plant Pathology,
Oregon State University, Corvallis, Oregon 97331.
(503-754-3472) (2) USA
- Meijneke, C. A. R., Plant Protection Service, Geertjesweg
15, 6700 HC Wageningen, The Netherlands.
(08370-19001) (2) NL
- Meyer, F. C., Ministerio Agric. y Ganad., Instituto
Nacional Technol. Agropec. Estacion Exper. Regional
Alto Vall- Casilla de Correo 52, 8332 Gral. Roca,
Rio Negro, Argentina. (General Avez 2248) (3) ARG

- Meyer, J., Amt für Land-und Wasserwirtschaft, Abt. Pflanzenschutz, Herzog-Adolf Strasse 1b, 225 Husum, West Germany. (04841-2746) (1) BRD
- Michel, H. G., Landesanstalt für Pflanzenschutz, Reinsburgstr. 107, 7000 Stuttgart - 1, West Germany (0711/6676-2575 or 73) (3) BRD
- Miller, H. J. Plant Protection Service, Geertjesweg 15, 6700 HC Wageningen, The Netherlands. (1) NL
- Miller, R. W., Dept. of Plant Path. and Physiol., Clemson Univ., Clemson, South Carolina 29677 (803-656-3450) (2) USA
- Moller, W. J., Department of Plant Pathology, University of California, Davis, California 95616. (916-752-0304) (1) USA
- Morehead, G. W., Farm Advisors Office, 4145 Branch Center Road, Sacramento, California 95827. (916-366-2013) (2) USA
- Mosegaard, J., The Nursery Growers Asso., The Plant Health Council, Government Plant Protect. Service, Gersonsvej 13, 2900 Hellerup, Denmark. (2) DK
- Mowry, J. B., Plant and Soil Sci. Dept., Southern Illinois Univ., Carbondale, Illinois 62901. (618-549-3931) (2) USA
- Muir, J., Alberta Agriculture, Research Station, Fairview, Alberta, T0H 1L0, Canada. (2) CND
- Muller, H. J., Institut für Phytopathologie, Theodor-Roemer Weg 1-4, 432 Aschersleben, East Germany (3) DDR
- Norelli, J. L., Department of Plant Pathology, N.Y. State Agric. Expt. Station, Geneva, New York 14456 (315-787-2317) (1) USA
- Noval Alonso, Cristina, Dept. de Protección Vegetal, Inst. Nacional de Investigaciones Agrarias, Apartado 8.111, Madrid, Spain. (2078040 ext. 281) (3) SPA
- Oberhofer, H., Südtiroler Beratungsring für Obst und Weinbau, A. Hoferstrasse 9, 39011 Lana, Südtirol, Italy. (3) ITA
- d'Olivera, Maria de Lourdes, Estacao Agronomica Nacional, Oeiras, Portugal. (3) POR
- Olsson, Karin M., Swedish Univ. of Agric. Sciences, Dept. of Plant and Forest Protection, P.O. Box 7044, 750 07 Uppsala, Sweden. (018-10-20-00) (3) SWD

- Opgenorth, D. C., Department of Plant Pathology, Univ. of California, Riverside, California 92507. (2) USA
(714-787-4119)
- Otterbacher, A., University of Illinois, 105 Horticulture Field Laboratory, Urbana, Illinois 61801. (2) USA
(217-333-1520)
- Pacft, J., Institute of Experimental Phytopathology and Entomology, Slovak Academy of Sciences, 900-28 Ivanka pri Dunaji, Czechoslovakia. (3) CZE
- Palazon, Ignacio, Departamento de Proteccion de Cultivos, Centro de Investigacion y Desarrollo Agrario del Ebro, Montanana 177 (Aula Del), Zaragoza, Spain. (297207) (3) SPN
- Panagopoulos, C. G., Benaki Phytopath. Institute, Kiphissia, Athens, Greece. (01-8013619) (3) GRC
- Parker, K. G., 18 Congress Street, Trumansburg, New York 14886. (607-387-7934) (4) USA
- Paulin, J. P., Station de Phytobacteriologie, I.N.R.A., Route de St. Clement, Beaucouze, 49000 Angers, France. (41-48-51-23) (1) FR
- Pecknold, P. C., Department of Botany & Plant Pathology, Purdue University, West Lafayette, Indiana 47907. (317-749-6530) (2) USA
- Persiel, F., Bundesforschungsanstalt fur Gartenbauliche Pflanzenzuchtung, Bornkampsweg, 2070 Ahrensburg, West Germany. (04102-51122) (1) BRD
- Pirvan, P., Scientific Director, Trustul Pomiculturii, Pitesti-Maracineni, Romania. (976-34.292) (3) ROM
- Porrey, W., Research Station of Gorse, Brede Akker 3, 3800 Sint-Truiden, Belgium. (011-672019) (1) BLG
- Preczewski, J. L. Product Development Dept., Stark Brothers Nurseries Co., Louisiana, Missouri 63353 (314-754-5511) (2) USA
- Preiser, F., Research Laboratories, Merck and Company, Inc., Bldg. R123-12, Rahway, New Jersey 07065. (201-574-6687) (2) USA
- Prillwitz, H. G., Landespflanzenschutzamt, Essenheimerstr. 144, 65 Mainz - Bretzenheim, West Germany (3) BRD

- Psallidas, P. G., Benaki Phytopath. Inst., Kiphisia, Athens, Greece. (01-8013619) (3) GRC
- Quamme, H., Canada Agriculture, Research Station, Harrow, Ontario NOR 1G0, Canada. (519-738-2251) (1) CND
- Rackham, R. L., Oregon State Univ. Extension Service, 1301 Maple Grove Drive, Medford, Oregon 97501. (503-776-7371) (1) USA
- Reimann-Philipp, R., Bundesforschungsanstalt fur Gartenbauliche Pflanzenzuchtung, Bornkampsweg, 2070 Ahrensburg, West Germany. (04102-51122) (1) BRD
- Ride, M., Station de Phytobacteriologie, Institute Nat. Recherche Agron., Route de Saint Clement, Beaucouze 49000, Angers, France. (41-88.22.00) (3) FR
- Ries, S. M., Department of Plant Pathology, N427 Turner Hall, University of Illinois, Urbana, Illinois 61801. (217-333-1523) (1) USA
- Ritchie, D. F., Department of Plant Pathology, N. C. State University, Raleigh, North Carolina 27650. (919-737-2721) (2) USA
- Roed, H., The Norwegian Plant Protection Institute, 1432 As-NLH, Norway. (3) NOR
- Rom, R. C., Dept. of Horticulture & Forestry, Univ. of Arkansas, Fayetteville, Arkansas 72701. (501-575-2446) (2) USA
- Roosje, G. S., Research Institute for Plant Protection, Binnenhaven 12, 6700 AA Wageningen, The Netherlands. (08370-19151 ext. 10) (2) NL
- Rosenberger, D. A., New York Agric. Exp. Station, Box 727, Highland, New York 12528 (914-691-7151) (2) USA
- Ross, R. G., Canada Agriculture, Research Station, Kentville, Nova Scotia B4N 135, Canada. (902-678-2171) (2) CND
- Rousselle, G. L., Canada Agriculture, Research Station, P. O. Box 457, St. Jean, Quebec J3B 6Z8, Canada (514-346-4494) (2) CND
- Ryugo, K., Department of Pomology, University of California, Davis, California 95616. (916-752-0929) (2) USA

- | | | |
|--|------|-----|
| Samson, Regine, Station de Phytobacteriologie, Inst.
Nat. Recherche Agron., Route de Saint Clement,
Beaucouze 49000 Angers, France. (41-87.69.97) | (2) | FR |
| Sanchezmonge, E., Departamento Genetica, Estac. Agronomos,
Ciudad Universitaria, Madrid 3, Spain. | (3) | SPN |
| Sands, D. C., Dept. of Plant Path., Montana State Univ.,
Bozeman, Montana 59717. (406-994-4832) | (2) | USA |
| Sasser, M., Dept. of Plant Science, Univ. of Delaware,
Newark, Delaware 19711. (302-738-2534) | (1)) | USA |
| Scheer, H. A. Th. van der, Research Station for Fruit
Growing, Brugstraat 51, 4475 AN Wilhelminadorp, The
Netherlands. (01100-16390) | (2) | NL |
| Schmidle, A., Biologische Bundesanstalt, Institut fur
Pflanzenschutz im Obstbau, Schwabenheimerstrasse,
Postfach 73, 6901 Dossenheim/Heidelberg, West Germany.
(06221-85238) | (3) | BRD |
| Schroder, C., Inst. fur Phytopathologie, Christian-
Albrechts Univ., Olshausenstrasse 40-60, 2300 Kiel,
West Germany. (0431-880-2996) | (1) | BRD |
| Schroth, M. N., Department of Plant Pathology, University
of California, Berkeley, California 94720.
(415-642-6938) | (1) | USA |
| Schulz, F. A., Inst. fur Phytopathologie, Christian-
Albrechts Univ., Olshausenstrasse 40-60, 2300 Kiel,
West Germany. (0431-880-2996) | (1) | BRD |
| Seem, R. C., Department of Plant Pathology, N. Y. State
Agric. Expt. Station, P. O. Box 462, Geneva, New York
14456. (315-787-2366) | (2) | USA |
| Seemuller, E., Biologische Bundesanstalt, Institut fur
Pflanzenschutz im Obstbau, Schwabenheimerstrasse,
Postfach 73, 6901 Dossenheim/Heidelberg, West Germany.
(06221-85238) | (3) | BRD |
| <u>Severin, V.</u> , Laboratory of Phytobacteriology, Research
Inst. for Plant Protection, Blvd. Ion Ionescu de la
Brad 8, Bucharest-Baneasa, Romania. (33.58.58-50) | (3) | ROM |
| Simonsen, J., State Experimental Station, Studsgaard,
7400 Herning, Denmark. (07-164111) | (2) | DK |

R

- Slack, D., Dept. of Plant Pathology, Univ. of Arkansas,
Fayetteville, Arkansas 72701. (501-575-2446) (1) USA
- Sobiczewski, P., Research Institute of Pomology, ul.
Pomologiczna 18, 96-100 Skierniewice, Poland.
(Skierniewice 34-21) (3) POL
- Spotts, B. P., Mid-Columbia Expt. Station, Route 5, Box
240, Hood River, Oregon 97031. (503-386-2030) (1) USA
- Stankovic, D., Horticulture Dept., Faculty of Agriculture,
Univ. of Belgrade, ul. Nemanjina 6, 11080 Zemun
(Belgrade), Yugoslavia. (3) YUG
- Starr, M. P., Department of Bacteriology, University of
California, Davis, California 95616. (916-752-0283) (1) USA
- Stushnoff, C., Department of Horticultural Science,
Univ. of Minnesota, St. Paul, Minnesota 55101.
(612-373-1030) (2) USA
- Sutton, T. B., Department of Plant Pathology, N. C.
State Univ., Raleigh, North Carolina 27650.
(919-737-2752) (2) USA
- Szkolnik, M., Department of Plant Pathology, N. Y. State
Agr. Exp. Station, Geneva, New York 14456.
(315-787-2375) (1) USA
- Teissier, R., Service de la Protection des Vegetaux,
231 rue de la Convention, 75015 Paris, France.
(532-21-29) (3) FR
- Thibault, B., Station de Recherches d'Arboriculture
Fruitiere, Inst. Nat. Recherche Agron., Route de
Saint Clement, Beaucouze 49000 Angers, France.
(41-48.51.23) (1) FR
- Thompson, J. M., U. S. Dept. Agriculture, Southeastern
Fruit & Tree Nut Research Station, P. O. Box 87,
Byron, Georgia 31008. (912-238-0422) (1) USA
- Thomson, S. V., Department of Biology, Utah State
University, Logan, Utah 84322. (801-750-3406) (1) USA
- Valyi, S., Department of Plant Protect. and Agrochemistry,
Ministry of Agriculture and Food Admin., Kossuth
Lajos ter 11, Budapest, Hungary. (3) HUN
- Veldeman, R., Ministry of Agriculture, Research Station
for Phytopathology, 96 Burg. van Gansberghelaan, 9220
Merelbeke, Belgium. (091-522083) (2) BLG

Vogelsanger, D., Pflanzenschutzamt, Hermannswerder 20A, 15 Potsdam, East Germany.	(3)	DDR
<u>Vondracek</u> , J., Fruit Research Station, Techobuzize, 411 42 Ploskovice (okr. Litomerice), Czechoslovakia. (Ploskovice 9387)	(3)	CZE
Vukovits, G., Bundesanstalt fur Pflanzenschutz, Vienna, Austria.	(3)	OST
Wade, E. K., Department of Plant Pathology, University of Wisconsin, Madison, Wisconsin 53706. (608-262-1426)	(2)	USA
<u>Walsh</u> , P., Dept. of Agriculture, Agriculture House, Kildare St., Dublin 2, Ireland. (789011 ext. 3289)	(3)	IRL
Way, R. D., Department of Pomology & Viticulture, N. Y. State Agric. Expt. Station, Geneva, New York 14456. (315-787-2235)	(1)	USA
<u>Weaver</u> , L. O., Department of Botany, University of Maryland, College Park, Maryland 20742. (301-454-3816)	(2)	USA
Westwood, M. N., Department of Horticulture, Oregon State University, Corvallis, Oregon 97331. (503-754-3695)	(2)	USA
Wiggel, D., Ministry of Agriculture, Olantigh Road, Wyl, Nr. Ashford, Kent, England.	(2)	UK
Williams, E. B., Department of Botany & Plant Pathology, Purdue University, Lafayette, Indiana 47907. (317-749-6423)	(2)	USA
Wimalajeewa, S., Plant Research Institute, Burnley Gardens, Swan Street, Burnley, Victoria, Australia, 3121. (8101511)	(3)	AUS
Yoder, K. S., Fruit Research Laboratory, Va. Polytech, Inst., 2500 Valley Ave., Winchester, Virginia 22601. (703-667-8330)	(1)	USA
<u>Yorston</u> , Y. M., Brit. Columb. Ministry of Agric., Research Station, Summerland, British Columbia V0H 1Z0 Canada (604-494-7011)	(2)	CND
Zehr, E. I., Department of Plant Pathology & Physiol., Clemson University, Clemson, South Carolina 29631. (803-656-3450)	(2)	USA

- Zeller, W., Biologische Bundesanstalt fur Land und
Forstwirtschaft, Institut fur Pflanzenschutz in
Ackerbau und Grunland, Schlosskoppelweg 8, 2305
Heikendorf-Kitzeberg (Kiel), West Germany.
(0431-23495) (1) BRD
- Zoller, B. G., Agricultural Advisors, Inc., P. O. Box
952, Yuba City, California 95991. (916-674-1255) (2) USA
- Zwet, T. van der, U. S. Department of Agriculture,
Appalachian Fruit Research Station, Rt. 2, Box 45,
Kearneysville, West Virginia 25430. (304-725-3451) (1) USA

SUMMARY

Persons Interested in Fire Blight

Country	Interest Category				Total	Number of Contact Persons
	1	2	3	4		
* USA - United States	34	48		4	86	16
* CND - Canada	3	11			14	3
* BRD - West Germany	10		5		15	1
* NL - Netherlands	5	3			8	1
* DK - Denmark	2	4			6	1
* FR - France	2	1	3		6	1
* UK - England	2	4			6	1
* BLG - Belgium	2	2			4	1
* DDR - East Germany			3		3	1
ITA - Italy			6		6	1
SPN - Spain			5		5	1
SWT - Switzerland			4		4	1
CZE - Czechoslovakia			3		3	1
SWD - Sweden			3		3	1
AUS - Australia			2		2	1
GRC - Greece			2		2	1
HUN - Hungary			2		2	1
JAP - Japan			2		2	
NOR - Norway			2		2	1
ROM - Romania			2		2	1
SA - South Africa		1	1		2	1
YUG - Yugoslavia			2		2	1
ARG - Argentina			1		1	1
BRA - Brazil			1		1	
IND - India			1		1	
IRL - Ireland			1		1	1
MEX - Mexico		1			1	
NZ - New Zealand		1			1	1
OST - Austria			1		1	
POL - Poland			1		1	1
POR - Portugal			1		1	
TUR - Turkey			1		1	
TOTAL	60	76	55	4	195	41

* Countries with fire blight.

SUMMARY

Contact Persons for Fire Blight Newsletter

United States

Arkansas	Slack, D.
California	Moller, W. J.
Colorado	Luepschen, N. A.
Delaware	Davidson, S. H.
Georgia	Thompson, J. M.
Illinois	Ries, S. M.
Maryland	Weaver, L. O.
Michigan	Klos, E. J.
Missouri	Goodman, R. N.
New Jersey	Preisner, F.
New York	Beer, S. V.
North Carolina	Drake, C. R.
Oregon	Lombard, P. B.
Pennsylvania	Hickey, K. D.
Washington	Covey, R. P.
West Virginia	van der Zwet, T.

Canada

British Columbia	McPhee, R.
Nova Scotia	Ross, R. C.
Ontario	Bonn, W. G.

Other Countries

Argentina	Meyer, F. C.
Belgium	Porreya, W.
Czechoslovakia	Vondracek, J.
Denmark	Jensen, A.
England	Billing, E.
France	Paulin, J. P.
Germany (East)	Kleinhempel, H.
Germany (West)	Zeller, W.
Greece	Psallidas, P. G.
Hungary	Klement, Z.
Ireland	Walsh, P.
Italy	Bazzi, C.
Netherlands	Mass Geesteranus, H. P.
New Zealand	Dye, D. W.
Norway	Roed, H.
Poland	Sobiczewski, P.
Romania	Severin, V.
South Africa	Matthee, F. N.
Spain	Noval Alonso, C.
Sweden	Olsson, K. M.
Switzerland	Grimm, R.
Yugoslavia	Arsenijevic, M.

Fire Blight Mailing List Questionnaire

The list of names in this Newsletter is an annual attempt to establish a complete and updated mailing list of all persons interested in fire blight. Please make corrections and additions where necessary and send me any new names not listed. A new list will be prepared for the third newsletter next winter.

☐

My name, address and telephone are correct
(if not, show change below)

☐

My interest in fire blight is correct
(if not, please indicate below)

☐

My name should be dropped from this list

☐

My/other name should be added to this list

NAME

ADDRESS

ZIP

TELEPHONE

Interest in fire blight research:

1 2 3 4

Interest in fire blight newsletter:

YES NO

I will serve as contact person
for newsletter questionnaire:

YES NO

} Please circle
one of each

Please return to your contact person or directly to:

T. van der Zwet
Appalachian Fruit Research Station
Route 2, Box 45
Kearneysville, West Virginia 25430

- 48 -

(Changes and additions during 1980)

Please return to your contact person or directly to:

T. van der Zwet
Appalachian Fruit Research Station
Route 2, Box 45
Kearneysville, West Virginia 25430

